

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Citrus Degreaser (HYC143)

Revision: 1

Revision date: 07/05/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Citrus Degreaser (HYC143)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);

1.3 Details of the supplier of the safety data sheet

Enveloped Design Solutions Ltd Company **Address**

Piksa House, 2 Penrod way, Heysham

LA3 2UZ United Kingdom www.edsltd.uk 01524 387655 info@edsltd.uk

1.4 Emergency telephone number

Emergency telephone

number

Web Telephone

Email:

028 9267 3331. In the event of a medical enquiry involving this product, please contact your GP or local A&E dept.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.2 Classification - EC

1272/2008

Skin Corr. 1A: H314; Aquatic Chronic 3: H412;

2.2 Label elements

Hazard pictograms



Signal Word

Hazard Statement

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

Prevention

Precautionary Statement:

Response

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 -Immediately call a POISON CENTER/doctor/ . P363 - Wash contaminated clothing before reuse.

Precautionary Statement Storage **Precautionary Statement:**

P405 - Store locked up.

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous

waste.

Further information

Disposal

Contains:. disodium metasilcate.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

Chemical name	Index No.	CAS No.	EC No.	REACH registration Number	Conc (%w/w)	Classification
Sodium alkylbenzenesulphonate		90194-45-9	290-656-6	01-2119490234-40	1-10%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318;
Orange terpenes		8028-48-6	232-433-8	01-2119493353-35	1-10%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens.1: H317; Aquatic Chronic 1: H410;
Disodium metasilicate	014-010-00-8	6834-92-0	229-912-9	01-2119449811-37		Skin Corr. 1B: H314; STOT SE 3: H335
Alcohols, C12-14 (Even numbered), ethoxylated (*R01)		68002-97-1			1-10%	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Chronic 3: H412;

SECTION 4: First aid measures

4.1 Description of first aid measures

2000	
Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Wash with water. Seek medical attention.
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

_	
Inhalation	Irritant, Severe respiratory.
Eye contact	Causes severe burns.
Skin contact	Causes severe burns.
Ingestion	Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

Corrosive. Burning produces irritating, toxic and obnoxious fumes.

5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.

6.2 Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3 Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4.

7.3 Specific end use(s)

No specific advice for end use available

SECTION 8: Exposure controls/personal protection

DNEL: Derived no-effect level.

Exposure Pattern - Workers

	Inhalation (repeated dose)	31.1 mg/m³
	Dermal (repeated dose)	8.89 mg/kg bw/day
Oranga tarnanas	Dermal	185.8 μg/cm²
Orange terpenes		
	Long-term - inhalation - Systemic effects	6.22 mg/m³
	Long-term - dermal - Systemic effects	1.49 mg/kg
Disodium metasilicate		
Disoulum metasincate		

Exposure Pattern - Gener	al population		
	Inhalation (repeated dose)	7.78 mg/m³	
	Dermal (repeated dose)	4.44 mg/kg bw/day	
Orange terpenes	Oral (repeated dose)	4.44 mg/kg bw/day	
Orange terpenes			
	Long-term - inhalation - Systemic effects	1.55 mg/m³	
	Long-term - dermal - Systemic effects	0.74 mg/kg	
Disodium metasilicate	Long-term - oral - Systemic effects	0.74 mg/kg	
Disoulum metasincate			

8.2 Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Wash hands after handling the product.

8.2.1 Appropriate engineering controls 8.2.2 Individual protection

Ensure adequate ventilation of the working area.

measures Eye / face protection Skin protection -Hand protection

Respiratory protection

Wear chemical protective clothing.

Safety glasses. (EN166) Chemical resistant gloves (PVC). (EN 374)

Not normally required. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Liquid Colour Orange **Odour** Characteristic **pH** >11.5 Melting point Not determined Freezing Point Not determined Initial boiling point Not determined Flash point Not determined

Evaporation rate Not determined Flammability (solid, gas) Not applicable to liquids Fat Solubility Not determined Partition coefficient Not determined Autoignition temperature Not determined Viscosity <100 cp @20°C Explosive properties Not explosive Oxidising properties Not oxidising Solubility Soluble in water Vapour pressure Not determined

9.2 Other information

Conductivity Not determined Surface tension Not determined Specific gravity 1.01 g/cm³

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions

No other adverse effects known.

10.4 Conditions to avoid

Avoid contact with: Acids

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Skin corrosion/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity

Causes burns. No mutagenic effects reported. No carcinogenic effects reported. No observed effect level.

11.1.4 Toxicological Information

	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA
Sodium alkylbenzenesulphonate	Oral Rat LD50: >2000 mg/kg	Oral Mouse LD50 NDA
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA
	Inhalation Rat LC50/15min: NDA	
Orange terpenes	Oral Rat LD50: 4400 mg/kg	
	Dermal Rabbit LD50: >2000 mg/kg	
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA
Disodium metasilicate	Oral Rat LD50: 847 mg	g/kg Oral Mouse LD50 NDA
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50 NDA
Alcohols, C12-14 (Even numbered), ethoxylated (*R01)	Oral Rat LD50: 100 mç	g/kg Oral Mouse LD50: NDA
	Dermal Rabbit LD50: 2,000 mg/kg	Dermal Guinea Pig LD50 NDA

SECTION 12: Ecological information

12.1 Toxicity

Sodium alkylbenzenesulphonate Algae IC50/72h: NDA

Fish LC50/96h: NDA

Daphnia EC50/48h: NDA

	Algon FCF0/72h; AIDA
	Algae EC50/72h: NDA
	Guppy LC50/96h: 5.65 mg/l
Orange terpenes	
	Daphnia LC50/48h: NDA
	Algae EC50/72h: NDA
	Algae EC50/72h: NDA
Disodium metasilicate	Guppy LC50/96h: NDA
	Daphnia LC50/48h: NDA
	Daphnia EC50/48h: NDA
Alcohols, C12-14 (Even numbered), ethoxylated	Fish LC50/96h: NDA
(*R01)	Algae IC50/72h: NDA
12.2 Persistence and degra	
	No data is available on this product.
12.3 Bioaccumulative pote	
Partition coefficient	No data is available on this product.
Partition coefficient	No data is available on this product.
12.4 Mobility in soil	
	No data is available on this product.
12.5 Results of PBT and vF	
12.6 Other adverse effects	Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.
The other daverse effects	No other adverse effects known.
SECTION 13: Disposal c	oneidoratione
General information	onsiderations
	Dispose of in compliance with all local and national regulations.
Disposal of packaging	
	Dispose of in compliance with all local and national regulations. Empty containers can be cleaned with water.
Further information	
	European Waste Catalogue: 20 01 15 alkalines.
SECTION 14: Transport	information
Hazard pictograms	
14.1 UN number	
	UN1719
14.2 UN proper shipping na	
14.3 Transport hazard clas	CAUSTIC ALKALI LIQUID, N.O.S. ((DISODIUM TRIOXOSILICATE))
ADR/RID	8
Subsidiary risk	-
IMDG Subsidiary risk	8 -
IATA	8
Subsidiary risk	<u> -</u>

14.4 Packing group

Packing group Ш

14.5 Environmental hazards

Environmental hazards Marine pollutant No

ADR/RID

Hazard ID	80
Tunnel Category	E
IMDG	
EmS Code	F-A-S-B
IATA	
Packing Instruction	856
(Cargo)	
Maximum quantity	60L
Packing Instruction	852
(Passenger)	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation(EC)No.1907/2006 REACH
- Regulation(EC)No1272/2008 CLP
- Regulation(EC)No.648/2004 Detergents regulation

Ingredients according to EC Detergents Regulation 648/2004

Less than 5%: Amphoteric Surfactants, Anionic Surfactants, Non ionic surfactants

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

SECTION 16: Other information

Other information

Maximum quantity

Revision This document differs from the previous version in the following areas:.

Changes to sections: NEW Acronyms LC: Lethal concentration.

LD: Lethal dose.

NDA - No data available.

NOAEC: No observed adverse effect concentration.

NOAEL: No observed adverse effect level. NOEC: No observed effect concentration.

NOEL: No observed effect level.

PBT: Persistent, bioaccumulative and toxic. SVHC. Substance of very high concern.

vPvB. Very persistent and very bioaccumulative.

*R01 - Polymer REACH number not available.

Text of Hazard Statements Flam. Liq. 3: H226 - Flammable liquid and vapour.

in Section 3

Acute Tox. 4: H302 - Harmful if swallowed.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens.1: H317 - May cause an allergic skin reaction.

Eye Dam. 1: H318 - Causes serious eye damage.

STOT SE 3: H335 - May cause respiratory irritation.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Internal ref: F000167