

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Concentrated Cleaner Sanitiser (HYC134)

Revision: 1

Revision date: 07/05/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Web

Email:

number

Telephone

Product name Concentrated Cleaner Sanitiser (HYC134)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);

1.3 Details of the supplier of the safety data sheet

Enveloped Design Solutions Ltd Company Address Piksa House, 2 Penrod way, Heysham

> I A3 2U7 United Kingdom www.edsltd.uk 01524 387655 info@edsltd.uk

1.4 Emergency telephone number

028 9267 3331. In the event of a medical enquiry involving this product, please contact your GP or local A&E dept. **Emergency telephone**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.2 Classification - EC

1272/2008

Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 1: H410;

2.2 Label elements

Hazard pictograms		
	工學	*2

Signal Word

Danger

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Dam. 1: H318 - Causes serious eye damage. **Hazard Statement**

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

Prevention

P302+P352 - IF ON SKIN: Wash with plenty of water/.

Precautionary Statement: Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/ .

P391 - Collect spillage.

Precautionary Statement:

Disposal

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous

waste.

Print date: 07/05/2021

Page: 1/6

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

Chemical name	Index No.	CAS No.	EC No.	REACH registration Number	Conc (%w/w)	Classification
Alcohols, C12-14 (Even numbered), ethoxylated (*R01)		68002-97-1			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Chronic 3: H412;
2-Aminoethanol	603-030-00-8	141-43-5	205-483-3	01-2119486455-28	1 - 10%	Acute Tox. 4: H302; Acute Tox. 4: H312; Skin Corr. 1B: H314; Acute Tox. 4: H332; STOT SE 3: H335; Aquatic Chronic 3: H412;
Alkyl (C12-16) dimethylbenzyl ammonium chloride (*R01)		68424-85-1	270-325-2		1 - 10%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

Further information

Active substance(s).

Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16)).: 3.5g/100g.

Didecyldimethylammonium chloride (DDAC).: 0.5g/100g.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes serious eye damage. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor/.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

4.2 Most important symptoms and effects, both acute and delayed

	• 1
Inhalation	May cause irritation to respiratory system.
Eye contact	Causes serious eye damage.
Skin contact	Irritating to skin.
Ingestion	Irritant.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2 Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2 Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

Print date: 07/05/2021

6.3 Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

2-Aminoethanol

2-Ami

8.1.1 Exposure Limit Values - UK

WEL 8-hr limit ppm: 1

WEL 15 min limit ppm: 3

WEL 8-hr limit mg/m3: 2.5

WEL 15 min limit mg/m3: 7.6

8.1.1 Occupational Exposure Limits Values (OELVs) - Ireland

Occupational Exposure Limit Value (8-hour reference period)	1 ppm 2.5 mg/m3
Occupational Exposure Limit Value (15- minute reference period)	3 ppm 7.6 mg/m3

DNEL: Derived no-effect level.

Exposure Pattern - Workers

	Long-term - inhalation - Systemic effects	3.3 mg/m³
	Long-term - inhalation - Local effects	3.3 mg/m³
inoethanol	Long-term - oral - Systemic effects	1 mg/kg

Exposure Pattern - General population

	Long-term - inhalation - Systemic effects	2 mg/m³
	Long-term - inhalation - Local effects	2 mg/m³
2-Aminoethanol	Long-term - oral - Systemic effects	3.75 mg/kg
2-Aminoemanor	Long-term - dermal - Systemic effects	0.24 mg/kg

8.2 Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Wash hands after handling the product.
8.2.1 Appropriate	Ensure adequate ventilation of the working area.
engineering controls	·
8.2.2 Individual protection	Use appropriate personal protective equipment.
measures	
Eye / face protection	Safety glasses. (EN166)
Skin protection -	Chemical resistant gloves (PVC). (EN 374)
Hand protection	
Respiratory protection	Not normally required. Do not breathe gas/fumes/vapour/spray.

Print date: 07/05/2021

Concentrated Cleaner Sanitiser (HYC134) Revision: 1

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance
Colour
Odour
Odour
Purple
Characteristic
10.0
Melting point
Freezing Point
Initial boiling point
Flash point
Evaporation rate
Flammability (solid, gas)
Fat Solubility
Partition coefficient
Autoignition temperature

Liquid
Purple
Characteristic
10.0
Not determined

Itoignition temperature
Viscosity
<100 cp @20°C
Explosive properties
Not explosive

Oxidising properties
Solubility
Vapour pressure
Not oxidising
Soluble in water
Not determined

9.2 Other information

Conductivity Not determined Surface tension Not determined Specific gravity 1.01 g/cm³

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No other adverse effects known.

10.4 Conditions to avoid

Avoid contact with: Acids.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Skin corrosion/irritation	Irritating to skin. Causes serious eye damage.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	No observed effect level.

11.1.4 Toxicological Information

	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50 NDA
Alcohols, C12-14 (Even numbered), ethoxylated (*R01)	Oral Rat LD50: 100 mg/kg	Oral Mouse LD50: NDA
	Dermal Rabbit LD50: 2,000 mg/kg	Dermal Guinea Pig LD50 NDA
	Inhalation Rat LC50/1.3 mg/l h: 6	Dermal Rat LD50 NDA
2-Aminoethanol	Oral Rat LD50: 1515 mg/kg	Oral Mouse LD50: NDA
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50 NDA
Alland (C42,45)	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50 800-1420 mg/kg
Alkyl (C12-16) dimethylbenzyl ammonium chloride (*R01)	Oral Rat LD50: 240 - 400mg/kg	Oral Mouse LD50 NDA
(1101)	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA

SECTION 12: Ecological information		
12.1 Toxicity		
	Danhnia FC50/48h: NDA	

Print date: 07/05/2021

Page: 4/6

Fish LC50/96h: NDA Alcohols, C12-14 (Even numbered), ethoxylated (*R01) Algae IC50/72h: NDA 65.0000 Daphnia EC50/48h: mg/l Fish LC50/96h: 170 mg/l 2-Aminoethanol Algae EC50/72h: 22 mg/l 0.0200 Daphnia EC50/48h: Daphnia LC50/48h: 0.02mg/l Alkyl (C12-16) mg/l dimethylbenzyl Green algae EC50/96h: 0.06mg/l ammonium chloride (*R01) 1.2000 Fish LC50/96h: mg/l 12.2 Persistence and degradability No data is available on this product. 12.3 Bioaccumulative potential No data is available on this product. Partition coefficient No data is available on this product. 12.4 Mobility in soil No data is available on this product. 12.5 Results of PBT and vPvB assessment Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3. 12.6 Other adverse effects No other adverse effects known. **SECTION 13: Disposal considerations** General information Dispose of in compliance with all local and national regulations. Disposal of packaging Dispose of in compliance with all local and national regulations. Empty containers can be cleaned with water. **Further information** European Waste Catalogue: 20 01 29. **SECTION 14: Transport information** Hazard pictograms 14.1 UN number UN3082 14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKYL DIMETHYLBENZYL AMMONIUM CHLORIDE) 14.3 Transport hazard class(es) ADR/RID Subsidiary risk **IMDG** 9 Subsidiary risk IATA 9 Subsidiary risk 14.4 Packing group Packing group 14.5 Environmental hazards

Print date: 07/05/2021

Concentrated Cleaner Sanitiser (HYC134) Revision: 1

Yes

Environmental hazards

Marine pollutant

ADR/RID

Maximum quantity

Hazard ID	90
Tunnel Category	E
IMDG	
EmS Code	F-A-S-F
IATA	
Packing Instruction	964
(Cargo)	
Maximum quantity	450L
Packing Instruction	964
(Passenger)	

SECTION 15: Regulatory information

450L

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

• Regulation(EC)No.1907/2006 - REACH

• Regulation(EC)No1272/2008 - CLP

• Regulation(EC)No.648/2004 - Detergents regulation

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants 5% - < 15%

cationic surfactants 0% - < 5%

15.2 Chemical safety assessment

SECTION 16: Other information

A chemical safety assessment has not been carried out on the mixture.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

STOT SE 3: H335 - May cause respiratory irritation.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Other information	
Revision	This document differs from the previous version in the following areas:.
	Changes to sections: NEW
Acronyms	LC: Lethal concentration.
	LD: Lethal dose.
	NDA - No data available.
	NOAEC: No observed adverse effect concentration.
	NOAEL: No observed adverse effect level.
	NOEC: No observed effect concentration.
	NOEL: No observed effect level.
	PBT: Persistent, bioaccumulative and toxic.
	SVHC. Substance of very high concern.
	vPvB. Very persistent and very bioaccumulative.
	*R01 - Polymer REACH number not available.
Text of Hazard Statement	s Acute Tox. 4: H302 - Harmful if swallowed.
in Section 3	Eye Dam. 1: H318 - Causes serious eye damage.
	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Internal ref: F000079

Print date: 07/05/2021