

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Fragranced Deodoriser & Disinfectant - Lavender (HYH308L)

Revision: 1

Revision date: 07/05/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Fragranced Deodoriser & Disinfectant - Lavender (HYH308L)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);

1.3 Details of the supplier of the safety data sheet

Enveloped Design Solutions Ltd Company Address

Piksa House, 2 Penrod way, Heysham

LA3 2UZ United Kingdom www.edsltd.uk 01524 387655 info@edsltd.uk

1.4 Emergency telephone number

Emergency telephone

number

Telephone Email:

Web

028 9267 3331. In the event of a medical enquiry involving this product, please contact your GP or local A&E dept.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.2 Classification - EC 1272/2008

Eye Dam. 1: H318; Aquatic Chronic 3: H412;

2.2 Label elements

Hazard pictograms



Signal Word

Hazard Statement

Danger

Eye Dam. 1: H318 - Causes serious eye damage.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects P273 - Avoid release to the environment.

Precautionary Statement:

Prevention

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/ .

Precautionary Statement:

Disposal

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

Chemical name	Index No.	CAS No.	EC No.	REACH registration Number	Conc (%w/w)	Classification
Ethanol	603-002-00-5	64-17-5	200-578-6	01-2119457610-43	10-20%	Flam. Liq. 2: H225;
Alcohols, C12-14 (Even numbered), ethoxylated (*R01)		68002-97-1			1-10%	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Chronic 3: H412;
Alkyl (C12-16) dimethylbenzyl ammonium chloride (*R01)		68424-85-1	270-325-2		0.5-1%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes serious eye damage. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor/.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	Causes serious eye damage.
Skin contact	No irritation expected.
Ingestion	Irritant.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2 Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2 Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3 Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 Exposure Limit Values - UK

	WEL 8-hr limit ppm 1000	WEL 8-hr limit mg/m3 1920	
=	WEL 15 min limit ppm -	WEL 15 min limit mg/m3: -	
Ethanol	WEL 8-hr limit mg/m3 total _ inhalable dust: -	WEL 15 min limit mg/m3 total inhalable dust:	
	WEL 8-hr limit mg/m3 total _ respirable dust _	WEL 15 min limit mg/m3 total respirable dust:	

8.1.1 Occupational Exposure Limits Values (OELVs) - Ireland

Eth and I	Occupational Exposure Limit Value (8-hour reference period)	-
	Occupational Exposure Limit Value (15-minute reference period)	1000 ppm

DNEL: Derived no-effect level.


Exposure Pattern - Workers

Ethanol	Acute inhalation - Local effects Long-term - inhalation - Systemic effects Long-term - dermal - Systemic effects	1900 mg/m³ 950 mg/m³ 343 mg/kg
Alkyl (C12-16) dimethylbenzyl ammonium chloride (*R01)	Long term exposure - systemic effects, Dermal : Long term exposure - systemic effects, Inhalation :	5,7 mg/Kg/day 3,96 mg/m3

Exposure Pattern - General population

Exposure Pattern - Gen	Acute inhalation - Local effects	950 mg/m³
	Long-term - inhalation - Systemic effects	114 mg/m³
Ethanal	Long-term - oral - Systemic effects	87 mg/kg
Ethanol	Long-term - dermal - Systemic effects	206 mg/kg
	Long term exposure - systemic effects, Oral	3,4 mg/Kg/day
Alkyl (C12-16)	Long term exposure - systemic effects, Dermal	3,4 mg/Kg/day
dimethylbenzyl	Long term exposure - systemic effects, Inhalation :	1,64 mg/m3
ammonium chloride		
(*R01)		

8.2 Exposure controls



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

9.1 Information on basic physical and chemical properties		
Appearance	Liquid	
Colour	Purple	
Odour	Characteristic	
рН	7	
Melting point	Not determined	
Freezing Point	Not determined	

Initial boiling point
Flash point
Evaporation rate
Flammability (solid, gas)
Fat Solubility
Partition coefficient
Autoignition temperature
Viscosity
Explosive properties
Oxidising properties
Solubility
Vapour pressure

Not determined
Not ocyclicate to liquids
Not determined
Not determined
Not determined
Not ocyclicate to liquids
Not determined

9.2 Other information

Conductivity Not determined Surface tension Not determined Specific gravity 0.97 g/cm³

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No other adverse effects known.

10.4 Conditions to avoid

None.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Skin corrosion/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity Irritating to eyes.

No mutagenic effects reported.

No carcinogenic effects reported.

No observed effect level.

11.1.4 Toxicological Information

TT.T.+ TOXICOlogical Illioni				
	Dermal Rat LD50:	NDA	Oral Rat LD50: 7060	mg/kg
Ethanol	Oral Mouse LD50:	3450 mg/kg	Inhalation Mouse LC50/4 h: 39g /r	m3
	Dermal Rabbit LD50:	NDA	Dermal Guinea Pig LD50: NDA	
	Inhalation Rat LC50/15min:	NDA	Dermal Rat LD50 NDA	
Alcohols, C12-14 (Even numbered), ethoxylated (*R01)	Oral Rat LD50:	100 mg/kg	Oral Mouse LD50: NDA	
	Dermal Rabbit LD50:	2,000 mg/kg	Dermal Guinea Pig LD50 NDA	
	Inhalation Rat LC50/15min:	NDA	Dermal Rat LD50 800-1	420 mg/kg
Alkyl (C12-16) dimethylbenzyl ammonium chloride (*R01)	Oral Rat LD50:	240 - 400mg/kg	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50:	NDA	Dermal Guinea Pig LD50: NDA	

SECTION 12: Ecological information

12.1 Toxicity

Fish LC50/96h: 12900

mg/l

Daphnia LC50/48h NDA

Eth an al	
Ethanol	
	Algae EC50/72h: NDA
	Algae 2000/1211. NDA
	Daphnia EC50/48h: NDA
Alcohols, C12-14 (Even	
numbered), ethoxylated	Fish LC50/96h: NDA
(*R01)	
	Algae IC50/72h: NDA
	Daphnia EC50/48h: 0.0200 Daphnia LC50/48h: 0.02mg/l
Alkyl (C12-16)	mg/I
dimethylbenzyl ammonium chloride	Green algae EC50/96h: 0.06mg/l
(*R01)	Fish LODG/00k 1,2000
	Fish LC50/96h: mg/l
12.2 Persistence and degr	adability
	No data is available on this product.
12.3 Bioaccumulative pote	ntial
	No data is available on this product.
Partition coefficient	
	No data is available on this product.
12.4 Mobility in soil	
	No data is available on this product.
12.5 Results of PBT and vi	
	Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.
12.6 Other adverse effects	
	No other adverse effects known.
SECTION 13: Disposal of	onsiderations
General information	
	Dispose of in compliance with all local and national regulations.
Disposal of packaging	
	Dispose of in compliance with all local and national regulations. Empty containers can be cleaned with water.
	Empty containers can be cleaned with water.
Further information	In
	European Waste Catalogue: 20 01 29.
SECTION 14: Transport	information
14.1 UN number	iniorniation
14.1 ON Humber	The product is not classified as dangerous for carriage.
14.2 UN proper shipping n	
17.2 Old proper shipping h	The product is not classified as dangerous for carriage.
14.3 Transport hazard clas	
ADR/RID	The product is not classified as dangerous for carriage.
Subsidiary risk	-
IMDG	The product is not classified as dangerous for carriage.
Subsidiary risk	
IATA	The product is not classified as dangerous for carriage.
Subsidiary risk	-
14.4 Packing group	
Packing group	The product is not classified as dangerous for carriage.
14.5 Environmental hazard	
Environmental hazards	No No
Marine pollutant	No
ADR/RID Hazard ID	T
Tunnel Category	- -
IMDG	
EmS Code	-
	•

Fragranced Deodoriser and Disinfectant - Lavender (HYH308L) Revision: 1

IATA

Packing Instruction	-
(Cargo)	
Maximum quantity	-
Packing Instruction	-
(Passenger)	
Maximum quantity	-

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation(EC)No.1907/2006 REACH
- Regulation(EC)No1272/2008 CLP
- Regulation(EC)No.648/2004 Detergents regulation

Ingredients according to EC Detergents Regulation 648/2004

5 - 15%: Non ionic surfactantsLess than 5%: Cationic surfactantsOther ingredients: Perfume

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

SECTION 16: Other information

Other information

Revision This document differs from the previous version in the following areas:.

Acronyms LC: Lethal concentration.

LD: Lethal dose.

NDA - No data available.

Changes to sections: NEW

NOAEC: No observed adverse effect concentration.

NOAEL: No observed adverse effect level.

NOEC: No observed effect concentration.

NOEL: No observed effect level.

PBT: Persistent, bioaccumulative and toxic. SVHC. Substance of very high concern. vPvB. Very persistent and very bioaccumulative.

*R01 - Polymer REACH number not available.

Text of Hazard Statements Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

in Section 3

Acute Tox. 4: H302 - Harmful if swallowed.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Internal ref: F000164