

TECHNICAL INFORMATION SHEET

FOAMING OVEN CLEANER

Product Description

A highly alkaline, viscous foaming detergent suitable for removing oils, fats and carbonised deposits.

Features and Benefits

- Suitable for use on ovens, hot plates, grills, griddles and other cooking equipment.
- Safe to use on stainless steel, mild steel, cast iron, vitreous enamel, ceramics, PTFE and most plastic surfaces.
- Not suitable for use on aluminium or zinc alloys.
- Highly alkaline formulation will remove even heavily carbonised soil.

Use Instructions

1. For best results remove loose soiling first.
2. For optimum efficiency warm up the oven and then switch off before application.
3. The surface temperature should be between 60 – 80°C, do not apply to surfaces that are greater than 80°C.
4. Spray an even layer of product to the soiled surface.
5. Leave for a period of time as indicated below.

Soil	Cold Oven	Hot Oven
Light Grease	3 Minutes	1 Minute
Heavy Grease	30 Minutes	5 Minute
Baked On Grease	12 Hours	2 Hours

Safe Handling and Storage

See visual information to right.

Full guidance on the handling and safe use of the product can be obtained from the Safety Data Sheet.

Store in original container. Avoid extremes of temperature.

Technical Information

Appearance: Red liquid

pH: >13.0

Relative density: 1.04

Odour: Characteristic

Solubility: Fully miscible in water

The above data is typical of normal production and should not be taken as a specification.

Materials Compatibility

Non corrosive toward mild and stainless steel, polythene, polypropylene and crockery. Corrosive, both at user concentration or undiluted on aluminium, zinc, tin, copper and their common alloys.

Health & Safety

HAZARD AS SUPPLIED



Causes severe skin burns and eye damage.



HAZARD WHEN USED AT RECOMMENDED DILUTION.



Causes severe skin burns and eye damage.

