

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Concentrated Degreaser (HYC140)

Revision: 1

Revision date: 07/05/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Concentrated Degreaser (HYC140)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);

1.3 Details of the supplier of the safety data sheet

Company **Enveloped Design Solutions Ltd** Address

Piksa House, 2 Penrod way, Heysham I A3 2UZ

United Kingdom Web www.edsltd.uk Telephone 01524 387655 info@edsltd.uk Email:

1.4 Emergency telephone number

028 9267 3331. In the event of a medical enquiry involving this product, please contact your GP or local A&E dept. **Emergency telephone**

number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.2 Classification - EC 1272/2008

Skin Corr. 1A: H314;

2.2 Label elements

Hazard pictograms



Signal Word

Hazard Statement

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

Prevention

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Precautionary Statement: Response

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 -Immediately call a POISON CENTER/doctor/.

P363 - Wash contaminated clothing before reuse.

Precautionary Statement Storage P405 - Store locked up.

Precautionary Statement: Disposal

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous

Further information

Contains: 2-aminoethanol.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

Print date: 07/05/2021

Concentrated Degreaser (HYC140) Revision: 1

Chemical name	Index No.	CAS No.	EC No.	REACH registration	Conc (%w/w)	Classification
Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl)		8051-30-7	931-329-6	Number 01-2119490100-53	1-10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 2: H411;
2-Aminoethanol	603-030-00-8	141-43-5	205-483-3	01-2119486455-28	1-10%	Acute Tox. 4: H302; Acute Tox. 4: H312; Skin Corr. 1B: H314; Acute Tox. 4: H332; STOT SE 3: H335; Aquatic Chronic 3: H412;
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts		68439-57-6	270-407-8	01-2119513401-57	1-10%	Skin Irrit. 2: H315; Eye Dam. 1: H318;
Di Methoxy Propanol ((2-methoxymethylethoxy) propanol)		34590-94-8	252-104-2	01-2119450011-60	1-10%	
Tetrasodium (1-hydroxyethylidene) bisphosphonate		3794-83-0	223-267-7	01-2119647955-23	1-10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319;

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Wash with water. Seek medical attention.
	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Irritant, Severe respiratory.
Eye contact	Causes severe burns.
Skin contact	Causes severe burns.
Ingestion	Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

Corrosive. Burning produces irritating, toxic and obnoxious fumes.

5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.

6.2 Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3 Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4.

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 Exposure Limit Values - UK

o. i. i Exposure Lillit value	
	WEL 8-hr limit ppm: 1
O Amino othernal	WEL 15 min limit ppm: 3
2-Aminoethanol	WEL 8-hr limit mg/m3: 2.5
	WEL 15 min limit mg/m3: 7.6
	WEL 8-hr limit mg/m3: 308
Di Methoxy Propanol	WEL 8-hr limit ppm: 50
((2-methoxymethylethoxy) propanol)	

8.1.1 Occupational Exposure Limits Values (OELVs) - Ireland

	=	
	Occupational Exposure Limit Value (8-hour	1 ppm
2-Aminoethanol	reference period)	2.5 mg/m3
2-Aminoethanoi	Occupational Exposure Limit Value (15-	3 ppm
	minute reference period)	7.6 mg/m3
Di Metheyu Brenenel	Occupational Exposure Limit Value (8-hour	50 ppm
Di Methoxy Propanol	reference period)	308 mg/m3
((2-methoxymethylethoxy)	Occupational Exposure Limit Value (15-	
propanol)	minute reference period)	-

DNEL: Derived no-effect level.

Exposure Pattern - Workers

	Long-term - systemic effects, dermal	4,16 mg/kg bodyweight/day	
Amides, C8-18 (even	Long-term - local effects, dermal	0,09 mg/cm ²	
numbered)	Long-term - systemic effects, inhalation	73,4 mg/m³	
and C18- unsatd., N, Nbis(
hydroxyethyl)			
	Long-term - inhalation - Systemic effects	3.3 mg/m³	
	Long-term - inhalation - Local effects	3.3 mg/m³	
2-Aminoethanol	Long-term - oral - Systemic effects	1 mg/kg	
2-Aminoemanoi			

Exposure Pattern - General population

	Long-term - systemic effects,oral	6,25 mg/kg bodyweight/day
Amides, C8-18 (even	Long-term - systemic effects, inhalation	21,73 mg/m³
numbered)	Long-term - systemic effects, dermal	2,5 mg/kg bodyweight/day
and C18- unsatd., N, Nbis(Long-term - local effects, dermal	0,056 mg/cm ²
hydroxyethyl)		-
	Long-term - inhalation - Systemic effects	2 mg/m³
	Long-term - inhalation - Local effects	2 mg/m³
2-Aminoethanol	Long-term - oral - Systemic effects	3.75 mg/kg
2-Ammoemanoi	Long-term - dermal - Systemic effects	0.24 mg/kg

8.2 Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Wash hands after handling the product.

8.2.1 Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2 Individual protection
measures
Eye / face protection
Skin protection Hand protection
Respiratory protection

Wear chemical protective clothing.

Safety glasses. (EN166)
Chemical resistant gloves (PVC). (EN 374)

Not normally required. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Liquid Colour Yellow **Odour** Characteristic **pH** >11.5 Melting point Not determined Freezing Point Not determined Initial boiling point Not determined Flash point Not determined Evaporation rate Not determined Flammability (solid, gas) Not applicable to liquids Fat Solubility Not determined Partition coefficient Not determined Autoignition temperature Not determined Viscosity <100 cp @20°C @4% Explosive properties Not explosive Oxidising properties Not oxidising

Solubility Vapour pressure Not determined

9.2 Other information

Conductivity	Not determined
Surface tension	Not determined
Specific gravity	1.02 g/cm³

SECTION 10: Stability and reactivity

10.1 Reactivity

		No reactivity hazards known under normal storage and use conditions.
--	--	--

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No other adverse effects known.

10.4 Conditions to avoid

Avoid contact with: Acids.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

		-9
Ī	Skin corrosion/irritation	Causes burns.
	Germ cell mutagenicity	No mutagenic effects reported.
	Carcinogenicity	No carcinogenic effects reported.
	Reproductive toxicity	No observed effect level.

11.1.4 Toxicological Information

Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl)	LD50 oral rat LD50 dermal rabbit	ilig/kg		
	Inhalation Rat LC50/1.3 mg/l h:	6	Dermal Rat LD50 NDA	
2-Aminoethanol	Oral Rat LD50:	1515 mg/kg	Oral Mouse LD50: NDA	
	Dermal Rabbit LD50:	NDA	Dermal Guinea Pig LD50 NDA	
	Inhalation Rat LC50/>52h:	4	Dermal Rat LD50: NDA	
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	Oral Rat LD50:	6034 to 13500 mg/kg	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50:	NDA	Dermal Guinea Pig LD50: NDA	
	Oral Rat LD50:	>4000 mg/kg		
Di Methoxy Propanol		(oral rat)		

((2-methoxymethylethoxy) propanol)	Dermal Rabbit LD50: 9510 mg/kg		
	Inhalation Rat LC50/15min: 3.35 mg/l		
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA	
Tetrasodium (1- hydroxyethylidene)	Oral Rat LD50: NDA	Oral Mouse LD50 NDA	
bisphosphonate	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA	

SECTION 12: Ecological information					
12.1 Toxicity	2.1 Toxicity				
Amides, C8-18 (even	LC50 fish 1	2,4 mg/l	NOEC (chronic)	0,07 mg/l	
numbered) and C18- unsatd., N, Nbis(EC50 Daphnia 1	3,2 mg/l			
hydroxyethyl)	ErC50 (algae)	3,9 mg/l			
	Daphnia EC50/48h:	65.0000 mg/l			
2-Aminoethanol	Fish LC50/96h:	170 mg/l			
	Algae EC50/72h:	22 mg/l			
Sulfonic acids, C14-16-	Daphnia EC50/48h:	4.5300 mg/l			
alkane hydroxy and C14- 16-alkene, sodium salts	Fish LC50/96h:	4.2000 mg/l			
,	Algae EC50/72h:	5.2 mg/l			
Di Methoxy Propanol	Fish LC50/96h:	10,000 mg/l			
((2-methoxymethylethoxy) propanol)	Daphnia EC50/48h:	1,919 mg/l			
, ,,	Algae LC50/72h:	1,000 mg/l			
	Algae EC50/72h:	NDA			
Tetrasodium (1- hydroxyethylidene) bisphosphonate	Guppy LC50/96h:	NDA			
,,	Daphnia LC50/48h:	NDA			

12.2 Persistence and degradability

No data is available on this product.

12.3 Bioaccumulative potential

Partition coefficient	No data is available on this product.
No data is available on this product.	No data is available on this product.

12.4 Mobility in soil

No data is available on this product.

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

Disposal of packaging

Dispose of in compliance with all local and national regulations.

Empty containers can be cleaned with water.

Further information

European Waste Catalogue: 20 01 15 alkalines.

SECTION 14: Transport information

Hazard pictograms

Print date: 07/05/2021

Concentrated Degreaser (HYC140) Revision: 1



14.1 UN number

UN2491

14.2 UN proper shipping name

ETHANOLAMINE, SOLUTION

14.3 Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-
	ADR/RID Subsidiary risk IMDG Subsidiary risk IATA Subsidiary risk

14.4 Packing group

Packing group	

14.5 Environmental hazards

Environmental hazards	No
Marine pollutant	No

ADR/RID

Hazard ID	80
Tunnel Category	E

IMDG

EmS Code	F-A-S-B			
----------	---------	--	--	--

IAIA	
Packing Instruction	856
(Cargo)	
Maximum quantity	60L
Packing Instruction	852
(Passenger)	
Maximum quantity	5L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations: Regulation(EC)No.1907/2006 - REACH Regulation(EC)No1272/2008 - CLP Regulation(EC)No.648/2004 - Detergents regulation

Ingredients according to EC Detergents Regulation 648/2004

5 - 15%: Non ionic surfactants

Less than 5%: Anionic Surfactants, Phosphonates

Other ingredients: Perfume, Preservatives

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

SECTION 16: Other information

Other information		
Revision	This document differs from the previous version in the following areas:.	
	Changes to sections: NEW	
Acronyms	LC: Lethal concentration.	
	LD: Lethal dose.	
	NDA - No data available.	
	NOAEC: No observed adverse effect concentration.	
	NOAEL: No observed adverse effect level.	
	NOEC: No observed effect concentration.	
	NOEL: No observed effect level.	
	PBT: Persistent, bioaccumulative and toxic.	
	SVHC. Substance of very high concern.	
	vPvB. Very persistent and very bioaccumulative.	

in Section 3

*R01 - Polymer REACH number not available. Text of Hazard Statements | Skin Irrit. 2: H315 - Causes skin irritation. Eye Dam. 1: H318 - Causes serious eye damage.

Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

STOT SE 3: H335 - May cause respiratory irritation.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

	Eye Irrit. 2: H319 - Causes serious eye irritation.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
	Internal ref: F000087